

L Number	Hits	Search Text	DB	Time stamp
-	11	dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:07
-	9	(dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:12
-	46709	phase adj2 lock\$2 adj loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:12
-	520	(phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:17
-	5	((dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)) and @ad<=20000717) and reference near clock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:14
-	136	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:14
-	1	(((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock) and measur\$3 near width	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:18
-	6	("5170386"   "5521895"   "5528574"   "5535183"   "5694380"   "5703851").PN.	USPAT	2004/07/20 09:17
-	0	(((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock) and (generat\$3 near (plurality adj3 sample\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:26
-	23746	(sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:30
-	17545	((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:31
-	2587	((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<=20000717) and reference adj2 clock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:42
-	598	(((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<=20000717) and reference adj2 clock\$1) and (digital with (phase adj2 lock\$2 adj2 loop\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:43
-	1	((((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<=20000717) and reference adj2 clock\$1) and (digital with (phase adj2 lock\$2 adj2 loop\$1))) and (width near symbol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:14
-	82	slicer with pll	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:18
-	1	((slicer with pll) and @ad<=20000717) and ((measur\$3 or determin\$3) adj2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:15

	46	(slicer with pll) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:45
	55	(sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:46
	29	((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:47
	0	(((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<=20000717) and slicer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:47
	6	(((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<=20000717) and pll	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 12:38
	0	data adj recovery with ((measuring or determining) adj2 (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 12:40
	0	data adj recovery with ((measuring or determining) adj2 ((pulse or symbol) adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 12:40
	3	data adj recovery and ((measuring or determining) adj2 ((pulse or symbol) adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:11
	5480	data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:15
	4303	(data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:16
	4	((data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))) and @ad<=20000717) and sampler\$1 and pll	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:21
	2927	375/354.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25
	21	375/354.ccls. and (pll and sampler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:24
	2	(375/354.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:24
	501	375/326.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:24
	9	375/326.ccls. and (pll and sampler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25

	0	(375/326.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25
	1300	375/340.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25
	0	((375/326.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)) and measur\$3 near (symbol\$ or signal or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25
	13	375/340.ccls. and (pll and sampler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:25
	8	(375/340.ccls. and (pll and sampler)) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 15:26
	10	(US-6650607-\$ or US-6564352-\$ or US-6333902-\$ or US-6137757-\$ or US-5721755-\$ or US-5592300-\$ or US-5444687-\$ or US-4688246-\$ or US-4583236-\$ or US-6166572-\$).did.	USPAT	2004/07/20 16:10
	0	((US-6650607-\$ or US-6564352-\$ or US-6333902-\$ or US-6137757-\$ or US-5721755-\$ or US-5592300-\$ or US-5444687-\$ or US-4688246-\$ or US-4583236-\$ or US-6166572-\$).did.) and width near (symbol\$1 or data or bit\$1)	USPAT	2004/07/20 16:11
	339	((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)	USPAT	2004/07/20 16:12
	290	((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<=20000717	USPAT	2004/07/20 16:12
	189	((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<=20000717) and (correction or adjustment)	USPAT	2004/07/20 16:14
	59	(((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<=20000717) and (correction or adjustment)) and pll	USPAT	2004/07/20 16:14
	31	(((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<=20000717) and (correction or adjustment)) and pll and ("a" adj2 "d") or sampler)	USPAT	2004/07/20 16:33
	1	3983489.pn.	USPAT	2004/07/20 16:33
	1	3983498.pn.	USPAT	2004/07/20 16:37
	671	327/156.ccls. and pll	USPAT	2004/07/20 16:38
	0	(327/156.ccls. and pll) and symbol adj2 width	USPAT	2004/07/20 16:38
	1	(327/156.ccls. and pll) and symbol adj2 length	USPAT	2004/07/20 17:51
	2	3983498.pn. 5850422.pn.	USPAT	2004/07/20 17:51
	1084	dpll or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:42
	739	(dpll or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:10
	40	((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<=20000717) and ((correction or adjustment) adj signal\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:11
	7	(((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<=20000717) and ((correction or adjustment) adj signal\$1)) and (lock\$2 adj state)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:14
	227	(hybid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:16

	7	((hybid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and ((measur\$3 or determin\$3) near (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:21
	4	(((hybid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and ((measur\$3 or determin\$3) near (width or length))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:22
	11	((hybid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and logic adj high	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:22
	7	(((hybid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and logic adj high) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:22
	188	(dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length) near (symbol\$1 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:45
	188	(dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length) near (symbol\$1 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:45
	112	((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length) near (symbol\$1 or data))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:45
	109	(((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length) near (symbol\$1 or data))) and @ad<=20000717) and lock\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 08:46
	2	(((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length) near (symbol\$1 or data))) and @ad<=20000717) and lock\$2) and (first adj edge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 10:56
	2103	375/376.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 12:28
	1231	375/376.CCLS. and pll	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 11:36
	10	(375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 11:37
	39	(375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 11:37
	31	((375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))) and @ad<=20000717	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/21 11:37
	14	(phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:18
	7	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1) and @ad<=20010320	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:18

	7	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1) and @ad<=20010330	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:34
	0	dcppl and (first adj strobe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:35
	377	(phase adj\$2 lock\$3 adj\$3 loop) and (first adj strobe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:36
	49	(phase adj2 lock\$3 adj2 loop) and (first adj strobe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:37
	0	(((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<=20010330) and plurality near sample\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:42
	1	(((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<=20010330) and signal near width	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:45
	1	(((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<=20010330) and correct\$3 adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:44
	1	(((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<=20010330) and clock adj recovery	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 14:45
	3	("5519342"   "5828257"   "5872959").PN.	USPAT	2004/08/06 14:47
	34	((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<=20010330	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:20
	0	determin\$3 near ((data adj width) and (data adj type))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:21
	4470	determin\$3 near ((data or pulse) adj width)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:21
	4581	determin\$3 near ((data or pulse or bit) adj width)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:25
	86	(determin\$3 near ((data or pulse or bit) adj width) ) and correction adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:26
	0	((determin\$3 near ((data or pulse or bit) adj width) ) and correction adj signal\$1) and ((reference adj clock) near (plurality adj2 phase\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:29
	6	((determin\$3 near ((data or pulse or bit) adj width) ) and correction adj signal\$1) and (reference adj clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:24

	223	determin\$3 near ((data or bit) adj width)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:27
	1	(determin\$3 near ((data or bit) adj width) ) and correction adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:28
	1	((determin\$3 near ((data or bit) adj width) ) and correction adj signal\$1) and correction adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:28
	231	determin\$3 near ((data or bit or symbol) adj width)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:28
	192	(determin\$3 near ((data or bit or symbol) adj width) ) and @ad<=20010330	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:29
	0	((determin\$3 near ((data or bit or symbol) adj width) ) and @ad<=20010330) and ((reference adj clock) near (plurality adj2 phase\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:29
	0	((determin\$3 near ((data or bit or symbol) adj width) ) and @ad<=20010330) and ((reference adj clock) with (plurality adj2 phase\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:29
	1	((determin\$3 near ((data or bit or symbol) adj width) ) and @ad<=20010330) and ((reference adj clock) and (plurality adj2 phase\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/06 15:29